




BEARING PRECISION AXLE CORP.



4 mm x 11 mm x 4 mm 23130-2CS5/VT143
Spherical Roller Bearings 150*250*80mm

Bearing No. 694

694 Bearing 2D drawings and 3D CAD models

Size	4x11x4 mm
Bore Diameter	4 mm
Outer Diameter	11 mm
Width	4 mm
d	4 mm
D	11 mm
B	4 mm
C	4 mm
r min.	0,15 mm
da min.	5,2 mm
Da max.	9,8 mm
ra max.	0,15 mm
Weight	0,0017 Kg
Basic dynamic load rating (C)	0,96 kN
Basic static load rating (C0)	0,345 kN
(Grease) Lubrication Speed	48 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling	No



BEARING PRECISION AXLE CORP.

Slot	
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	4MM Bore; 11MM Outside Diameter; 4MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Weight / LBS	1.7
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.157 Inch 4 Millimeter
Bore	0.157 Inch 4 Millimeter
Outside Diameter	0.433 Inch 11 Millimeter
SRI	1.12
hidYobi	694
LangID	1
D_	11
SREX	0.02
B_	4
hidTable	ecat_NSESBM



BEARING PRECISION AXLE CORP.

C0r	35
Oil rpm	56000
SRE	1.12
mass	1.7
GRS rpm	48000
ra	0.15
SRIX	0.02
D_a	9.8
Cr	98
SRIN	0
C0	0.345
fo	12.321
SREN	0
DE_	9.51
Prod_Type3	ESM_MD_OT
da	5.2
DA_	2
Z_	7
yobi	694
SDM_	7.51
r	0.15
KBRG	6101
DI_	5.51
B0	4